

Ordering details for spiral staircase JOS

Let Weland do the planning and design for the staircase. If we are given the details below, you will receive a very practical staircase. Fill in the following details or send a sketch with dimensions or an architect's drawing to place an order or for a fast quote.

Railings

- ☐ Slit
- ☐ Square
- ☐ Round
- ☐ Solid

Handrails

Galvanized steel according to ZM310 with a diameter of \varnothing 42 mm.

Inner handrails

Galvanized steel according to ZM310 with a diameter of \varnothing 42 mm.

Stair treads

Perforated grip plate

Landings

- ☐ Square, standard
- ☐ 90° landing with radius
- ☐ Final step
- ☐ Customised dimensions:
Dim. x mm

Gates

- ☐ Lower landing
- ☐ Upper landing

Protective cage

- ☐ Full-circle Protective Cage
- ☐ Protective Cage, Stair Enclosure

Surface treatment

Hot dip galvanised, standard


Radius of the staircase

- ☐ 800 mm
- ☐ 900 mm
- ☐ 1000 mm
- ☐ 1100 mm
- ☐ 1200 mm
- ☐ 1300 mm

Storey height - Floor to floor


Lower landing

- Wall, doors, windows. Location with dimensions.
- Mark doors with size and swing.




Upper landing

- Wall, doors, windows. Location with dimensions.
- Size of any arch opening.
- Mark doors with size and swing.



Arch railing

- Mark any arch railing with dimensions.



Other comments
